



The following tables are intended to aid tech inspectors in determining a car's weight and track. Although they are updated monthly by Club Racing Tech Department they are not intended to replace the published GCR or amendments published in Technical Bulletins. Please note that these specs may be condensed and/or abbreviated to save space and the GCR should be used to verify specifications.

Class FA	Engine Type	Weight	Notes	Updated
Sequential trans: add 25 lbs, Fuel Injection: add 25 lbs (except Volkswagen) add 25 lbs for non-metallic chassis				
	4 Cylinder 4 cycle 2 valve 1615cc max	1160		
	4 cylinder 4 cycle 2 valve 2135cc max	1190		
	4 cylinder 4 cycle 4 valve 1615cc max	1230		
	4 cylinder 4 cycle 2 valve 2500cc max	1230	33mm SIR required, except under 2000cc, under 10:1 CR, unrestricted; under 9:1 CR, unrestricted	
	4 cylinder 4 cycle 4 valve 2500cc max	1230	31mm SIR required, except under 2000cc, under 10:1 CR, unrestricted; under 2500cc, under 9:1 CR, unrestricted	
	Mazda 12A Rotary	1230	No peripheral or Bridgeport	
	Mazda 12A Rotary	1230 36mm restrictor	Bridgeport. One (1) auto-type 2 bbl carb or one (1) 2 bbl throttle body. Restrictors/venturis shall be no more than 4 inches from the center line of the throttle butterfly shaft. All intake air shall pass through the required restrictors and the throttle body or carburetor body. Intake manifold for either carburetion or injection shall have individual runners connecting one throttle plate to one rotor, only. No balance tubes or other device shall connect runners between rotors.	
	Mazda 13B Rotary	1230 44mm restrictor	Streetport. One (1) 2-bbl auto-type carb or throttle body. Intake manifold shall have individual runners connecting one throttle plate/butterfly to one rotor, only. No balance tubes or other devices shall connect runners between rotors.	
	Mazda 13B Rotary	1230 36mm SIR	Peripheral Port	
	Mazda Renesis Rotary	1230 70mm Throttle body	Porting not permitted. Unmodified OEM lower intake manifold required, upper manifold unrestricted. Balance tube not permitted. Apex seals unrestricted. Fuel injection only.	

Class FE	Weight	Notes	Updated
	1250		

Class FC	Engine	Weight	Notes	Updated
	Pinto	1200	1200 lbs w/ aluminum cyl. Head (see February Minutes)	
	Zetec	1200	(see February Minutes)	

Class FV	Track	Weight	Notes	Updated
	Max Front = 52.5 Min Rear = 49.125 Max Rear = 50.750 No spacers allowed	1025		

Class FF	Engine	Weight	Notes	Updated
----------	--------	--------	-------	---------

Current through SEPTEMBER 2010

FasTrack

1 of 30

Class FF	Engine	Weight	Notes	Updated
	Original	1050		
	Uprated	1100		
	Honda Fit	1100		

Class F500	Engine	Weight	Notes	Updated
	Kawasaki	700		
	AMW & 494 Rotax	800		
	493 Rotax	825		

Class FM	Track	Weight	Notes	Updated
	59 1/4 (F) / 57 3/4 (R)	1350 (6 port 13B) 1400 (4 port Renesis)		

Class FB	Weight	Notes	Updated
	1000		

Class FS	Weight	Notes	Updated
	750 (without driver)		

Class GT1	Manufacturer	Model	Engine	Weight	Notes	Updated
Track = 70" front and rear unless otherwise noted						
	Ford	2009-2010 Mustang	See below	See below	102" / 110" wheelbase	
	Qvale	Mangusta			Must use class legal Ford engine	
	Dodge	Viper Comp. Coupe	Sealed 8.3L	3175	Track – 62.8/63.3	
	Mazda	RX7 / RX8		1780 – 12A 1770 – 13B 2100 – 20B		
	Nissan	300ZX/Z31/Z32		1880 – 3.0L V6 1930 – VG30D		
	Pontiac	Fiero		1830 – 3.1/3.4L	-50 lbs for transverse V6. multi-carb and fuel injected = 1830 lbs.	
	Porsche	911		1880		
	Porsche	911 Cup 3.8 RSR		2310		
	Porsche	Boxster		1880		
	Porsche	997 Cup car	Sealed 3.6L	2810		
Weights for cars not listed above						
Production based 4 speed -50 lbs, 10" wheels -50 lbs, sequential transmission +75 lbs						
Ford engines w/ splayed/canted valves add 60 lbs, GM engines w/ SB2 heads add 60 lbs						
		V6 up to 275CI (4.5L)		2430		
		V8 up to 311CI (5.1L)		2680		
		V8 312 (5.1L) – 335CI (5.5L)		2780		
		V8 336 (5.5L) – 366CI (6.0L)		2880		
		V8 over 366CI (6.0L)		3180		

Class GT2	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 64" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
Cars using 15 x 7" wheels may reduce weight by 50 lbs.					

Current through SEPTEMBER 2010

FasTrack

2 of 30

Class GT2	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 64" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
Cars using 15 x 7" wheels may reduce weight by 50 lbs.					
Acura		NSX, RSX	1997cc @ 1950 2157cc @ 1950 2971cc @ 2280 3176cc @ 2330 3210cc @ 2280 3471cc @ 2280		
Alfa Romeo		GTV	2492cc @ 2030 2959cc @ 2180		
Audi		TT Coupe	1984cc @ 1850		
BLMI		MGB GT V8 and RV8	3528cc @ 2280		
BMW		325, M3 (E30), M3 (E36), M3 (E46), 330ci (E46)	2302cc @ 2080 2494cc @ 2080 2494cc @ 2280 2990cc @ 2280 3152cc @ 2280 3201cc @ 2280 37mm sir 3246cc @ 2280 37mm sir		
Chevrolet		Cavilier Z24, Monza	2210cc @ 1950 2272cc @ 2080 2392cc @ 2080 2679cc @ 2030 3136cc @ 2150		
Chrysler/Dodge/Plymouth		Breeze / Stratus, Neon, Daytona / Laser	1995cc(SOHC) @ 1950 1995cc(DOHC) @ 1950 2213 @ 2080		
Ferrari		308 GTB, 288, 328, 348, 355	2926cc @ 2280 2980cc @ 2280		
Ford		Capri I, II, Mustang, Probe	1993cc @ 1950 2498cc @ 2250 2550cc @ 2180 2934cc @ 2180		
Infiniti		G20	1998cc @ 1950		
Honda		Prelude	2157cc @ 2180 2252cc @ 2230		
Jaguar		XKE Coupe, Roadster	3781cc @ 2250 4235cc @ 2250		
Lotus		Esprit	2174cc @ 2180		
Mazda		MX-5 / Miata, RX-7, RX-8	12A @ 1930 13B Street/Bridge Port @ 1930 13B Peripheral @ 2030 Renesis @ 1930 2967cc @ 2230 20B @ 2230	12A Street Port w/ 40mm choke(s) @ 1830	
Mercedes Benz		190E	2599cc @ 2200		
Mercury		Capri	2796cc @ 2180 2934cc @ 2180		
Nissan		240Z, 260Z, 280Z, 280Z 2+2, 280ZX, 240SX, 240SX S13, 240SX S14, 300ZX Z31, 300ZX Z32, 350Z	1998cc @ 1950 2380cc @ 2080 2389cc (SOHC) @ 2050 2389cc (DOHC) @ 2080 2495cc @ 2130 2565cc @ 2080 2754cc @ 2080 2760cc @ 2080 2899cc @ 2180 2960cc @ 2230 2988cc @ 2280 3498cc @ 2280 3150.3cc @ 2280 3317.7cc @ 2280		
Panoz		Esperante GTS	5754cc @ 2880	Track (F) 64.0 (R)67.8	

Current through SEPTEMBER 2010

FasTrack

3 of 30

Class GT2	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 64" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
Cars using 15 x 7" wheels may reduce weight by 50 lbs.					
	Pontiac	Fiero, Grand Am, Sunfire GT	2198cc @ 1950 2210cc @ 1950 2272cc @ 2080 2392cc @ 2080 2471cc @ 1930 2679cc @ 2030 2837cc @ 2080 3136cc @ 2150 3350cc @ 2230 3498cc @ 2280		
	Porsche	911 Coupe & Targa, 914-6, 944, 968, Boxster	1991cc @ 2030 2195cc @ 2030 2341cc @ 2030 2478cc @ 2080 2480cc @ 2080 2681cc @ 2150 2687cc @ 2180 2766cc @ 2180 2808cc @ 2030 2981cc @ 2180 2992cc @ 2080 3179cc @ 2380 3200cc @ 2160 3400cc @ 2220 3600cc w/ 35.5mm SIR @ 2160 3600cc (unrest.)@2280 3800cc w/ 36.5mm SIR @ 2280 3800cc (unrest.)@2380		
	Porsche	996 GT3 Cup	3595cc @ 2730		
	Sunbeam	Tiger	4265cc @ 2280 4728cc @ 2280		
	Toyota	Celica, MR-2, Solara, Supra	1998cc @ 1950 2164cc @ 1950 2438cc @ 2080 2759cc @ 2180 2995cc @ 2280 3594cc @ 2280		
	Volkswagen	Corrado, Golf, GTI	1984cc @ 1980 2782cc @ 2280		

Class GT3	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 60" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
	Acura	Integra, RSX (02-05)	1590cc @ 1855 1595cc @ 1855 1797cc @ 1960 1834cc @ 2060 1997cc @ 2060 1998cc @ 2060 2354cc @ 2195		
	Alfa Romeo	GTV 1750 / 2000, Sport Sedan	1779cc @ 1855 1962cc @ 1960	Alt Head: #19510-01053-04 (twin plug), add 100 Lbs.	
	American Motors	Gremlin (-78) Spirit (79-)	2537cc @ 2455 3805cc @ 2680		
	Audi	TT Coupe	1984cc (SOHC)@ 1960 1984cc (DOHC)@2060		

Class GT3	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 60" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
BMW	2002/ti/tii, 318 Coupe (92-), 318i (77-91), 320i (77-82), E46 (00-), Z3	1767cc SOHC@ 1855 1796cc @ 1960 1895cc @ 2060 45mm chokes @2070 1991cc @ 1960 2302 @ 2195			Feb
Chevrolet	Cavalier Z-24, Corvair Coupe / Yenko Stinger, Vega	1998cc (SOHC)@ 1960 1998cc (DOHC)@ 2060 2287cc @ 2060 2689cc @ 2290	Corvair and Stinger non-tube frame track 59.7(F) and 62.9(R).		
Dodge / Chrysler	Neon, Daytona (84-), Horizon, Laser (84-), Omni 024 (79-82), Shelby Charger (79-82), Shadow	1997cc (SOHC)@1960 1997cc (DOHC)@2060 2213cc @ 2060			
Fiat	131 Coupe & Sedan, Brava	1995 2v @ 1960			
Ford	Capri, Mustang II (74-78), Mustang (79-98), Pinto, Probe	1993cc @ 1960 1998cc @ 1960 2189cc @ 2130 2260cc @ 2195 2301cc @ 2130			
Honda	Civic (88-91), Civic Coupe (92-95), CRX (84-91), Civic (84-87) 3dr	1488cc @ 1805 1493cc @ 1905 1590cc @ 1855 1595cc @ 1855 1797cc @ 1960 1834cc @ 2060 1997cc @ 2060 1998cc @ 2060 2354cc @ 2195			
Mazda	626 (83-87), MX3, MX-5/Miata, MX6, RX2, RX3, RX7, RX8, Protege	1597cc @ 1855 1839cc @ 2060 1998cc 2v @ 1960 1999cc MZR @ 2060 2189cc @ 2060 2260cc MZR @ 2195 12A SP @ 2060 12A PP @ 2250 12A BP@ 2060 13B @ 2250 Renesis @ 2205			
Mercury	Capri (79-86), Cougar (99-02)	1993cc @ 1960 2301c @ 2130			
Mitsubishi / Eagle	Eclipse / Talon	1997cc (DOHC)@ 2060 1997cc (sOHC)@ 1960 2213cc @ 2060			
Nissan/Datsun	200-SX, 240-SX, 240Z, 260Z, 280Z (-79), 280ZX, 350Z, 300-ZX, 710, PL510, Sentra SER Spec V (2002)	1770cc @ 1805 1952cc @ 1855 1974cc @ 1960 1998cc @ 2060 2045cc @ 1960 2188cc @ 1960 2380cc @ 2060 2389cc @ 2195 2565cc @ 2130 2760cc @ 2130 2899cc @ 2270	2389cc @ 2130 w/31mm SIR 2389cc @ 2130 w/31mm SIR (effective 2/27/09)		
Pontiac	Fiero	2677 @ 2270			

Class GT3	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 60" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
Porsche	911 Coupe & Targa (1968-), 914, 924, 944, Boxster	1968cc @ 1960 1984cc @ 1960 1991cc @ 1960 2195cc @ 2060 2341cc @ 2130 2478cc @ 2270 2681cc @ 2270 2678cc @ 2270 2766cc @ 2270 2808cc @ 2270 2992cc @ 2270	2478cc Alt. 4 valve head: #944 104 013 03 w/ 31mm SIR @ 2270lbs. GT3 Porsche (1968cc Alum, crossflow-2v, Unrestricted @1960)	Feb	
Saab	900 (1979-), 99E, CM, EMS, GL, LE	1854cc @ 1960 1985cc @ 1960 1985cc DOHC 4v @ 2060			
Scion	tC (05-)	SEE TOYOTA BELOW			
Toyota	Celica, Corolla, MR-2, Paseo, Tercel	1587cc DOHC 4v @ 1855 1762cc DOHC 4v @ 1960 1770cc OHV 2v @ 1855 1794cc DOHC 4v @1960 1796cc DOHC 4v @1960 1998cc SOHC 2V @ 1960 2164 DOHC 5S @2130 2189cc SOHC 2v @ 2060 2362cc DOHC 4v @2195 2438cc DOHC 4v @ 2270 2195	Alternate 77mm stroke 7AFE @1855	Feb May Aug	
Triumph	GT6, GT6+ & Mk III, TR-250 / TR-6	1998cc @ 1855 2498cc @ 2130			
Volkswagen	Beetle, Corrado, Golf, GTI, Jetta, Rabbit, Scirocco	1715cc @ 1805 1780cc (SOHC)@ 1855 1780cc (DOHC)@ 1960 1984cc (SOHC)@ 1960 1984cc (DOHC)@ 2060 058,06A,06B 1780cc DOHC 5 Valve @ 1960	1715cc, 2v, replace Notes with: <i>Alt. Heads: #026-103-373G, 049-103-351C, Eurospec Sports head at 1805 lbs.;</i> 1780cc, 2v, replace Notes with: <i>Alt. Heads: #026-103-373G, 049-103-351C, Eurospec Sports head at 1805 lbs.;</i> 1984cc 2v, replace Notes with: <i>Alt. Heads: #026-103-373G, 049-103-351C, Eurospec Sports head at 1855lbs.</i>	April	
Volvo	122S, 142 / 142E, 242 / 242DL, S40, 1800 E/S/ES	1986cc @ 1855 2127cc @ 2060 2320cc @ 2130			Feb

Class GTL	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 60" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
Cars using 14" or 15" wheels: add 4%					
Acura	Integra (-93) Integra (94-) RSX (02-05)	See Honda Engines			
Alfa Romeo	T-1300 Junior, GTA Junior, Alfetta GT, Gulia 1300, Gulia 1300 TI, GTV 1600, 1750 GTV / 2000, Giulietta Spider, Giulietta Spider, All Spider Models (-94)	1130cc @ 1655 1290cc @ 1655 1357cc @ 1655 1570cc @ 1910 1508cc @ 1850 1779cc @ 1920			
AMC/Renault	Renault / Alliance, Encore	1296cc @ 1712 1397cc @ 1850	1397@1850 w/25 mm SIR		

Current through SEPTEMBER 2010

FasTrack

6 of 30

Class GTL	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 60" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
Cars using 14" or 15" wheels: add 4%					
BLMI	Austin-Healey Sprite, MG Midget, Mini Cooper, Austin America, Mini Cooper (02-), Triumph Spitfire	948cc @ 1210 970cc @ 1236 1071cc @ 1331 1098cc @ 1380 1147cc @ 1580 1275cc @ 1569 1296cc @ 1730 1380cc @ 1648 1399cc @ 1708 1493cc @ 1780 1598cc @ 2000 S p r i t e / M i d g e t 1275 @ 1730 1380 @ 1809 1399 @ 1869		Add 50 lbs for RWD	Jan
BMW	1600-2 / 1602	1537cc @ 1918			
Dodge	Colt Coupe, Omni, 024 (1978)	1597cc @ 1910 1715cc @ 1920 1780cc @ 1950			
	Coupe, 128, 131 Coupe, 131 Sedan, X/19	1290cc @ 1645 1290cc @ 1670 1438cc @ 1902 1498cc @ 1815 1592cc @ 1918 1608cc @ 1920 1756cc @ 1920		1290cc @ 1670 utilizes 1500 block	
Ford	Anglia Super, Cortina GT (64-68), Escort Super (68-74), Lynx/EXP/ LN7 (81-90), Escort Mexico (70-74), Fiesta (78-80), Pinto	1198cc @ 1598 1297cc @ 1598 1499cc @ 1902 1597cc @ 2000 1598cc @ 1902 1598cc (SOHC) @ 1918 1796cc @ 2050 1839 @ 2050		Pinto non-tube frame track (F&R) 60.52" Alternate 1500cc block casting #27333E6015 add 23 lbs. 1297cc: Any Formula Ford head may be used, including Aluminum version w/ 75 lbs. weight penalty. Alternate 1600cc FF block w/25 lbs penalty.	
Honda	Civic (73-), CRX (84-91), Civic Del Sol (93-97), Civic (96-06) (06-09)	1170cc @ 1640 1237cc @ 1726 1335cc @ 1769 1342cc @ 1800 1488cc @ 1900 1493cc @ 2000 1497cc FIT @ 2000 1590cc (SOHC) @ 2000 1590cc (DOHC) @ 2000 1595cc @ 2000 1797cc @ 2050 1834cc @ 2050			
Lancia	Scorpion (76-77)	1920		Non-tube frame track (R) 61.5"	
Lotus	Cortina (64-67), Elan S2/S4, Europa	1558cc @ 1918			
Mazda	Protégé (99), Protégé 5 (02), GLC, MX-3 (92-94), MX-5 / Miata (90-05, 06-09), 323 (88-91), 3 (04-05), RX-3, RX-7	1272cc @ 1730 1296cc @ 1693 1490cc @ 1830 1597cc (SOHC) @ 1910 1597cc (DOHC) @ 2000 1839cc @ 2050 12A @ 1950		RX-7 non-tube frame track (F&R) 60.7 / 60.3	

Class GTL	Manufacturer	Model (Years)	Weight	Notes	Updated
Track = 60" front and rear unless otherwise noted					
RWD & IRS: add 2.5%, see section F.2, sequential trans: add 1.25%, syncro trans: subtract 1.25%					
Cars using 14" or 15" wheels: add 4%					
Nissan / Datsun	PL510 (68-73), 1200 (B110) (70-73), B210 (74-78), 210 (B310) (79-82), Pulsar (83-90), Sentra (82-94), 200SX SE-R (95-97), Sentra SER (2002), 240-SX, SRL 311U Roadster	1171cc @ 1598 1243cc @ 1638 1237cc @ 1693 1310cc @ 1733 1288cc @ 1769 1368cc @ 1809 1397cc @ 1780 1488cc @ 1850 1597cc @ 1918 1595cc @ 1918 1596cc @ 2000 1769cc @ 2050 1770cc @ 1920 1797cc @ 2050 1809cc @ 2050	1237cc w/ A14 block @ 1716 lbs 1310cc w/ A14 block @ 1756 lbs GA16DE 1597cc @ 2000 lbs		
Opel	1900 (95), Mk 51, Mk 53, Sport Coupe Ralley, Mk 57R, Sport Coupe, Mk 77, GT 1900	1897cc @ 1920			
Porsche	914-4	1795cc @ 1920 1679cc @ 1920			
Renault	R5, R1228 (78), LeCar (78-79)		Engine table deleted		
Saab	Sedan (-64), Sonnet, Sonnet III	1496cc @ 1880 1696cc @ 1920			
Scion	Xa (05-06)		May use any class legal Toyota engine		
Subaru	GL Coupe, Justy (88-94)	1189cc @ 1593 1267cc @ 1724			
Suzuki	Swift (89-01)	1299cc @ 1830			
Toyota	Corolla 1200, Corolla SR-5 (-74), Corolla SR-5 (75), Sport Coupe & Liftback (76-79), Corolla (80-84), Corolla Sport / Sport Coupe (84-87), Corolla SR-5 / Sport Coupe (88), Starlet (81), Tercel (91-), Paseo (92-99), Celica (00-05), MR2 91-95	1166cc @ 1660 1290cc @ 1693 1452cc @ 1880 1486cc @ 1750 1587cc @ 1902 1588cc @ 1897 1762cc @ 2050 1770cc @ 1920 1587cc @ 2000 1794cc @ 2050 1796 2zz @ 2050	77mm alternate stroke to Toyota 7AFE at 2040 lbs.		Feb
Volkswagen	1300/1500/1600 (Bug) (65-77), Rabbit & Rabbit Cabriolet (75-84), Scirocco, Corrado, Golf, Golf/Jetta Mk IV, Beetle (98-01)	1285cc @ 1569 1457cc @ 1850 1493cc @ 1880 1584cc @ 1880 1471cc @ 1850 1588cc @ 1910 1679cc @ 1900 1715cc @ 1950 1780cc @ 2050 1795cc @ 1950	1285cc (dual intake port) @ 1684 lbs 058, 06A, 06B DOHC 1780 5valve @ 2050 24mm SIR (March)		
Yugo	GV (86-89)	1116cc @ 1645			

Class ITR	Manufacturer	Model (Year)	Weight	Notes	Updated
	Acura	Integra Type R (97-98)(00-01)	2535		
	Acura	Legend (91-95)	3135		
	Acura	RSX-S (2002)	2665		
	BMW	325i/is (92-95)	2765		
	BMW	325i/ci Coupe E46 (01-02)	2800		
	BMW	328i/is (96-99) E36	2850		
	BMW	328i/ci E46 (99-00)	2900		
	BMW	330i (01-02)	3290		
	BMW	M3 (88-91)	2650		
	BMW	Z3 2.8L Coupe & Rdstr. (97-98)	2765		Feb

Current through SEPTEMBER 2010

FasTrack

8 of 30

Class ITR	Manufacturer	Model (Year)	Weight	Notes	Updated
	BMW	Z3 2.8L Coupe & Rdstr. (99-00)	2800		
	BMW	Z3 3.0L Coupe & Rdstr. (01-02)	3240		
	BMW	Z4 2.5L (03-04)	2795		
	Chevrolet	Camaro (96-02)	2815		
	Chevrolet	Camaro (87-92) Exclude 1LE and BC4	3465		
	Dodge	Stealth R/T (non-turbo FWD) (91-96)	3120		
	Ford	Contour SVT (98-00)	2590		
	Ford	Mustang (89-93) Exclude Cobra	3340		
	Ford	Mustang GT (94-95) Exclude cobra	3195		
	Ford	Mustang GT (96-98)	3390		June
	Ford	Mustang (99-04)	2670		Feb
	Ford	Mustang (2005)	2955		Sep
	Ford	Taurus SHO (89-95)	2890		
	Honda	Prelude (93-96)	2570		
	Honda	Prelude (non SH) (97-01)	2640		
	Honda	Prelude SH (97-01)	2640		
	Honda	S2000 (00-03)	3005		
	Honda	S2000 (04-05)	3005		
	Lexus	IS300 (01-02)	3145		
	Lexus	SC300 (92-00)	3290		
	Mazda	RX-8 (2004)	2850		
	Mitsubishi	3000 GT (non-turbo FWD) (91-99)	3120		
	Nissan	300ZX (89-96)	3250		
	Nissan	Maxima (00-01)	3040		
	Pontiac	Firebird (87-92) exclude 1LE & BC4 Package	3465		
	Pontiac	Firebird (96-02)	2815		
	Porsche	911SC (78-83)	2630		
	Porsche	911S 2.0 (1969)	2365		SEP
	Porsche	911S 2.2 (1970-1971)	2505		SEP
	Porsche	911 S 2.4 (1972-1973)	2630		SEP
	Porsche	911/911S/911 Carrera (74-77)	2400	Classification Effective 1/1/09	
	Porsche	944S2 (89-91)	2810		
	Porsche	968 (93-97)	3055		
	Porsche	Boxster (97-99)	2830		
	Toyota	Celica GTS (00-04)	2380		
	Toyota	Supra (87-92)	2925		
	Toyota	Supra (93-97)	3220		

Class ITS	Manufacturer	Model (Year)	Weight	Notes	Updated
	Acura	Integra GS-R (92-93)	2430		
	Acura	Integra GS-R (3 door) (94-00)	2590		
	Alfa Romeo	GTV-6 (81-86)	2680		
	Alfa Romeo	Milano 2.5L (87-89)	2780		
	Alfa Romeo	Milano 3.0L (87-89)	2780		
	BMW	323i (E46) (98-00)	3000		
	BMW	325i/is (87-91)	2750		
	BMW	325i/is (2 & 4door) (92-95)	2850		
	Ford	Mustang LX V-6 (94-98)	2470		
	Ford	Probe GT (1993)	2570		
	Ford	Contour V-6 (non-SVT) (1995)	2665		
	Ford	Focus SVT (02-04)	2590		
	Honda	Civic Del Sol VTEC (94-96)	2430		
	Honda	Civic Si (99-00)	2430		
	Honda	Prelude Si (92-93) (94-96)	2555		
	Honda	Prelude Si VTEC (93-96)	2905		
	Honda	Prelude SH (97-01)	2905		

Current through SEPTEMBER 2010

FasTrack

9 of 30

Class ITS	Manufacturer	Model (Year)	Weight	Notes	Updated
	Honda	Prelude non-SH (97-01)	2825		
	Jensen Healey	Roadster (73-79)	2240		
	Mazda	626 LX/ES (93-97)	2570		
	Mazda	MX-5 / Miata (99-00)	2375		
	Mazda	MX-5 / Miata (01-02)(03-04)	2375		
	Mazda	MX-6 (1993)	2570		
	Mazda	RX-7 (13B) (84-85)	2350		
	Mazda	RX-7 (13B) (86-91) / includes conv.	2680		
	Mercedes-Benz	190 E 2.3L 16V	2800		
	Mercedes-Benz	190 E 2.6L 12V (87-93)	2695		
	Mercury	Cougar (1999)	2650		
	Nissan/Datsun	240-Z (70-73)	2430		
	Nissan/Datsun	260-Z (73-74)	2480		
	Nissan/Datsun	280-Z (75-78)	2505		
	Nissan/Datsun	280-ZX 2+2 (79-83)	2530		
	Nissan/Datsun	280-ZX (79-83)	2530		
	Nissan	200-SX V-6 (1987)	2725		
	Nissan	240-SX / S13 (91-94)	2650		
	Nissan	240-SX / S14 (95-98)	2650		
	Nissan	300-ZX (84-88)	2725		
	Nissan	300-ZX 2+2 (1986)	2725		
	Nissan	Sentra SER Spec V (2002)	2825		
	Oldsmobile	Achieva SCX (92-93)	2655		
	Oldsmobile	Calais (88-89)	2505		
	Oldsmobile	Calais (90-91)	2655		
	Pontiac	Grand-Am (Quad 4) (88-91)	2505		
	Porsche	911 T & E (68-69)	2385		
	Porsche	911 T & E (70-71)	2485		
	Porsche	911 T & E (72-73)	2585		
	Porsche	924-S (86-88)	2575		
	Porsche	944 (2V) (83-88)	2575		
	Porsche	944 2.7L (1989)	2635		
	Porsche	944S (4V) (87-88)	2850		
	Subaru	Imprezza 2.5 RS (98-01)	2660		
	Toyota	MR2 Spyder (2001-2003)	2275		SEP
	Toyota	Supra (82-85)	2750		
	Toyota	Supra (86 1/2-87)	3380		
	Triumph	TR8 (80-82)	2610	Convertible allowed @2560 lbs.	
	Volkswagen	Corrado SLC	2680		
	Volkswagen	Golf GTI VR-6 (95-99.5)	2880		
	Volkswagen	Jetta VR-6 (94-96)	2680		
	Volvo	850 GLT (93-97)	2635		

Class ITA	Manufacturer	Model (Year)	Weight	Notes	Updated
	Acura	Integra 1.6 (86-89)	2200		
	Acura	Integra (90-93)	2595		
	Acura	Integra GS/LS/RS(3 door) (94-00)	2620		
	AMC	Spirit (79-83)	2730		
	Audi	GT Coupe (1987)	2490		
	Audi	Coupe Quattro (90-91)	3055		May
	BMW	318 (E36) (92-94)	2600		
	BMW	318i/is Twin Cam (88-91)	2430		Feb
	BMW	318i/is (96-99)	2600		
	BMW	318ti & Club Sport (1995)	2600		
	BMW	318ti Sport (96-99)	2600		
	BMW	325e/es (2 & 4 door)(84-87)	2550		
	BMW	2002tii (71-74)	2310		

Current through SEPTEMBER 2010

FasTrack

10 of 30

Class ITA	Manufacturer	Model (Year)	Weight	Notes	Updated
	BMW	Z3 1.9 (96-98)	2600		
	BMW	528e (82-87)	2550		Feb
	Buick	Skyhawk V-6 (75-80)	2810		
	Chevrolet	Cavalier Z-24 (86-87)	2480		
	Chevrolet	Citation X-11 (81-83)	2620		
	Chevrolet	Corvair 140 (68-69)	2580		
	Chevrolet	Cosworth Vega Twin Cam (75-76)	2580		
	Chevrolet	Monza V-6 (78-80)	2810		
	Chrysler	Neon SOHC (95-99)	2450		
	Chrysler	Neon DOHC (95-99)	2650		
	Dodge	Daytona (1986)	2620		
	Dodge	Omni GLH 2.2	2350		
	Dodge	Stratus (95-00)	3000		
	Dodge/Plymouth	Neon RT & ACR (01-03)	2670		
	Dodge/Plymouth	Neon SE, ES, & SXT (00-03)	2440		
	Ford	Escort GT/LX-E 1.8L 16V (91-96)	2325		
	Ford	Escort ZX2 (98-00)	2400		
	Ford	Focus ZX-3 (00-01)	2400		
	Ford	Mustang II V-6 (74-78)	2840		
	Ford	Mustang V-6 (1979)	3000		
	Honda	Accord EX (94-97)	2735		
	Honda	Civic Del Sol S (1993)	2140		
	Honda	Civic Del Sol Si (93-97)	2330		
	Honda	Civic Si (89-91)	2250		
	Honda	Civic Si (92-95)	2305		Feb
	Honda	Civic Si (02-05)	2840		May
	Honda	Civic DX (3 & 4 door) (92-95)	2050		
	Honda	Civic EX (90-91)	2250		
	Honda	Civic EX Coupe (96-00)	2305		
	Honda	Civic EX Coupe VTEC (92-95)	2305		
	Honda	CRX Si (88-91)	2250		
	Honda	CRX 1.5L (standard) (88-91)	2000		
	Honda	Prelude-S (1992)	2680		
	Honda	Prelude Si (88-91)	2550		
	Honda	Prelude Si (90-91)	2550		
	Isuzu	Impulse (83-87)	2855		
	Mazda	Cosmo (76-78)	2780		
	Mazda	MX-3 V-6	2510		
	Mazda	MX-5 / Miata (90-93)	2255		
	Mazda	MX-5 / Miata includes R (94-97)	2380		
	Mazda	Protege LX (90-93)	2325		
	Mazda	Protege ES (95-98)	2325		
	Mazda	Protégé ES/LX (01-03)	2305		
	Mazda	Protégé MP3 (2001)	2485		June
	Mazda	RX-2 (71-74)	2300		
	Mazda	RX-3 / 3SP (72-78)	2280		
	Mazda	RX-4 (74-78)	2550		
	Mazda	RX-7 (12A) (79-85)	2280		
	Mazda	Mazda 3 (2004)	2840		
	Mercedes-Benz	190E 2.3L 8V	2730		
	Mercury	Capri I V-6 (72-74)	2390		
	Mercury	Capri II V-6 (76-77)	2670		
	Mercury	Capri (91-94)	2440		
	Mercury	Tracer LTS (91-96)	2430		
	Merkur	Scorpio (87-89)	2815		
	Mitsubishi / Eagle	Eclipse / Talon (95-98)	2600		
	Nissan	200 SX SE-R (95-98)	2490		
	Nissan	240-SX / S13 (89-90)	2630		
	Nissan	NX-2000 (91-93)	2515		

Current through SEPTEMBER 2010

FasTrack

11 of 30

Class ITA	Manufacturer	Model (Year)	Weight	Notes	Updated
	Nissan	Sentra SE-R (91-94)	2490		
	Nissan	Pulsar NX (87-91)	2250		
	Plymouth / Eagle / Mitsubishi	Laser / Talon / Eclipse 2.0L (90-94)	2500		
	Pontiac	Fiero GT & Formula V-6 2.8 (85-88)	2600		
	Porsche	912-E (1976)	2480		
	Porsche	914-6 (70-72)	2095		
	Saab	900 16V (B212i) (91-92)	2680		
	Saturn	SC Coupe & SC2 (91-96)	2330		
	Saturn	SL2 (91-95)	2360		
	Saturn	SC1 & SC2 Coupe (1997)	2360		
	Toyota	Celica Supra (79-81)	2930		
	Toyota	Celica GTS (86-88)	2500		
	Toyota	Celica GTS Coupe & HB (1989)	2615		
	Toyota	Celica GT Coupe/Liftback (89-93)	2590		
	Toyota	Celica (94-99)	2400		
	Toyota	Celica (00-04)	2490		
	Toyota	Corolla GTS (84-87)	2210		
	Toyota	Corolla GTS (88-92)	2300		
	Toyota	MR-2 1.6L (85-89)	2270		
	Toyota	MR-2 (90-94)	2545		
	Triumph	GT-6 Mk.III (70-74)	2005		
	Triumph	TR6 (69-76)	2060		
	Volkswagen	Golf GTI 16V (87-89)	2220		
	Volkswagen	Golf GTI 2.0 16V (90-92)	2475		
	Volkswagen	Jetta GLI 16V (87-89)	2280		
	Volkswagen	Jetta GLI (91-92)	2475		
	Volkswagen	Scirocco 16V (86-88)	2320		

Class ITB	Manufacturer	Model (Year)	Weight	Notes	Updated
	Alfa Romeo	Alfetta GT, GTV, Sprint Veloce (75-79)	2520		
	Alfa Romeo	Alfetta Sedan (75-79)	2605		
	Alfa Romeo	GTV2000 (72-75)	2410		
	Alfa Romeo	all Spider models (72-89)	2400		
	Alfa Romeo	Spider Quadrifoglio (85-89)	2400		
	Alfa Romeo	all Spider models (90-94)	2400		
	Audi	4000 & 4000S (1986)	2500		
	Audi	5+5 (81-83)	2490		
	Audi	Coupe (81-84)	2490		
	Audi	GT Coupe (84-86)	2540		
	BMW	318i (84-86)	2395		
	BMW	320i 1.8 (80-83)	2460		
	BMW	320i 2.0 (77-79)	2340		Feb
	BMW	2002 (68-76)	2280		
	Dodge	Charger / 024 (81-85)	2320		
	Dodge	Shelby Charger (83-84)	2430		
	Dodge	Colt GT 2.0 (76-77)	2280		
	Dodge	Daytona 2.2 (84-89)	2630		
	Dodge	Omni 2.2 (80-90)	2320		
	Dodge	Shadow (89-91)	2680		
	Fiat	124 Spider 2.0 (79-83)	2330		
	Fiat	Brava 2.0 (79-81)	2530		
	Fiat	124 1.8 Spider/ Coupe (74-78)	2230		
	Ford	Capri I 2.0	2300		
	Ford	Escort/GT 1.9 (86-90)	2280		
	Ford	Escort EXP (86-88)	2415		
	Ford	Mustang 2.3 (79-93)	2550		
	Ford	Mustang II 2.3 (74-78)	2830		

Current through SEPTEMBER 2010

FasTrack

12 of 30

Class ITB	Manufacturer	Model (Year)	Weight	Notes	Updated
	Ford	Pinto 2.0 (71-74)	2230		
	Ford	Pinto 2.3 (74-80)	2340		
	Ford	Probe GL /LX (89-92)	2530		
	Geo	Prism GSi (1990)	2455		
	Geo	Storm GSi (90-91)	2380		
	Honda	Accord 1.7L (79-83)	2270		
	Honda	Accord Lxi 12V Coupe & HB (86-89)	2550		
	Honda	Accord SE-I (1989)	2550		
	Honda	Civic Si (86-87)	2130		
	Honda	Civic DX Sedan & HB (88-91)	2110		
	Honda	Civic DX 2,3,4 Door (92-95)	2345		
	Honda	CRX Si (84-87)	2130		
	Honda	CRX HF 1.5L (88-91)	2030		
	Honda	Prelude 1.8 (83-87)	2350		
	Honda	Prelude Si (86-87)	2450		
	Isuzu	Stylus XS (1991)	2430		
	Mazda	Protégé ES (99-00)	2645		
	Mazda	323 1.6 (1989)	2190		
	Mazda	323 1.6 (86-88)	2060		
	Mazda	626 (83-84)	2300		
	Mazda	626 DX/LX (93-97)	2550		
	Mazda	MX-6 (88-91)	2530		
	Mercury	Bobcat 2.3 (74-80)	2520		
	Mercury	Capri 2.3 (79-86)	2550		
	MG	MGB 1.8 (68-80)	2050		
	MG	MGB GT 1.8 (68-74)	2100		
	Mini	Cooper (2002)	2500		
	Nissan/Datsun	200-SX / S10 (L20) (77-79)	2350		
	Nissan/Datsun	200-SX / S10 (Z20) (80-81)	2530		
	Nissan/Datsun	200-SX / S11 (Z22) (82-83)	2705		
	Nissan/Datsun	200-SX / S12 (CA20) (84-86)	2530		
	Nissan/Datsun	HL-510 2.0 (78-81)	2280		
	Nissan/Datsun	610 (1973)	2450		
	Nissan/Datsun	610 (74-76)	2450		
	Nissan	Sentra / B12 (1989)	2165		
	Nissan	Sentra E/XE/CXE/SL/Limited Edition (91-94)	2520		
	Opel	1900 Sedan (71-75)	2180		
	Opel	GT 1900 (69-73)	2180		
	Opel	Manta 1.9 (71-75)	2230		
	Plymouth	Fire Arrow 2.6 (79-80)	2360		
	Plymouth	Horizon 2.2 (80-90)	2320		
	Plymouth	TC3 / Turismo 2.2 (81-85)	2320		
	Pontiac	Fiero 2.5 (84-87)	2315		
	Pontiac	Fiero 2.5 (1988)	2315		
	Porsche	914-4 1.8 (74-75)	2080		
	Porsche	914-4 2.0L (73-76)	2260		
	Porsche	924 & Sebring (77-82)	2495		
	Renault	Alliance GTA (1987)	2140		
	Saab	900 (79-88)	2680		
	Saab	900 16V B202i (86-90)	2680		
	Saab	99E (1972)	2637		
	Saab	99EMS 2.0 (73-80)	2540		
	Suzuki	Swift GT/GTi (89-94)	1895		
	Suzuki	Swift GA (89-94)	1735		
	Toyota	Celica I 2.0L (71-73)	2350		
	Toyota	Celica I 2.2 (74-77)	2300		
	Toyota	Celica II 2.2 (78-80)	2430 (CP) 2490 (HB)		

Current through SEPTEMBER 2010

FasTrack

13 of 30

Class ITB	Manufacturer	Model (Year)	Weight	Notes	Updated
	Toyota	Celica II 2.4 (81-82)	2470 (CP) 2510 (HB)		
	Toyota	Celica III 2.4 (83-85)	2350		
	Toyota	Celica III GTS (83-85)	2425		
	Toyota	Celica ST (1986)	2480		
	Toyota	Corolla 1.8 (80-82)	2050		
	Toyota	Corolla SR-5 (1987)	2330		
	Toyota	FX-16 (1987)	2445		
	Triumph	TR-7 2.0 (76-81)	2440 (CP) 2420 (Conv.)		
	Volkswagen	Golf 2.0 (99-03)	2350		
	Volkswagen	Golf III (93-97)	2350		
	Volkswagen	Golf GTI / GT / GL (85-92)	2280		
	Volkswagen	Jetta / GL / GLI (85-92)	2280		
	Volkswagen	Jetta III (93-97)	2350		
	Volkswagen	Rabbit GTI (83-84)	2080		
	Volkswagen	Scirocco II 8V (83-88)	2130		
	Volvo	142 / 144 2.0 (69-74)	2640		
	Volvo	240 2.3 (83-85)	2780		
	Volvo	242 / 244 2.0 (1975)	2780		
	Volvo	242 / 244 2.1 (76-81)	2780		

Class ITC	Manufacturer	Model (Year)	Weight	Notes	Updated
	Austin-Healey	Sprite (68-69)	1615		
	BMW	1600 (68-71)	2160		
	Chevrolet	Chevette 1.6 (76-87)	2130		
	Dodge	Colt 89-92)	2270		
	Dodge	Colt 1.6 (FWD) 79-84)	2040		
	Dodge	Colt 1.6 (RWD) 71-78)	2190		
	Fiat	X-1/9 1.3 (74-78)	2090		
	Fiat	Bertone & X-1/9 1.5L (79-87)	2150		
	Fiat	124 Coupe (70-73)	2200		
	Fiat	124 Spider (70-73)	2170		
	Fiat	128 Coupe	1950		
	Ford	Cortina GT (68-70)	1780		
	Ford	Escort EXP (82-85)	2130		
	Ford	Escort / GT (81-85)	2100		
	Ford	Festiva (88-93)	1870		
	Ford	Fiesta (78-80)	1780		
	Geo	Spectrum (1989)	2020		
	Geo	Storm 1.6L (90-93)	2355		
	Honda	Accord 1.6 (76-78)	2180		
	Honda	Civic 1.2 (73-79)	1710		
	Honda	Civic CVCC 1.5 (75-79)	1820		
	Honda	Civic CVCC (80-83)	1870		
	Honda	Civic standard (HB & Sedan) (88-91)	2140		
	Honda	Civic HB / Sedan (84-87)	1955		
	Honda	Civic CX (3-door HB) (92-95)	2170		
	Honda	CRX 1.5 (84-87)	1955		
	Hyundai	Excel (86-94)	2370		
	Isuzu (Buick)	I-Mark / Opel (76-82)	2280		
	Isuzu	I-Mark (88-89)	2130		
	Mazda	Protégé SE/DX	2375		
	Mazda	GLC (RWD) (1980)	2080		
	Mazda	GLC (FWD) (81-85)	2000		
	Mercury	LN7 (82-85)	2130		
	Mercury	Lynx 1.6 (81-84)	2100		
	MG	Midget (68-74)	1615		

Current through SEPTEMBER 2010

FasTrack

14 of 30

Class ITC	Manufacturer	Model (Year)	Weight	Notes	Updated
	MG	Midget Mk III (75-79)	1740		
	Mitsubishi	Mirage (1989)	2270		
	Nissan/Datsun	1200 (71-73)	1740		
	Nissan/Datsun	210 1.4 (79-82)	2080		
	Nissan/Datsun	210 1.5 (79-82)	2080		
	Nissan/Datsun	B210 (74-78)	2010		
	Nissan/Datsun	PL-510 (68-73)	2170		
	Nissan	Pulsar NX (83-86)	2080		
	Nissan	Sentra / B11 1.5 (82-83)	1980 (SD) 2100 (HB)		
	Nissan	Sentra / B12 1.6 (83-86)	1980 (SD) 2100 (HB)		
	Nissan	Sentra / B12 (E16) (87-88)	2180		
	Plymouth	Arrow 1.6 (76-80)	2190		
	Plymouth	Champ 1.6 (79-83)	2040		
	Plymouth	Colt 1.5 (1989)	2270		
	Plymouth	Horizon 1.7 (78-79)	2050		
	Plymouth	Horizon TC3 1.7 (79-80)	2110		
	Porsche	914-4 1.7 (70-73)	2080		
	Renault	Alliance 1.4 (83-87)	2070		
	Renault	Alliance 1.7 (84-87)	2100		
	Renault	Encore 1.4 (83-87)	2070		
	Renault	Encore 1.7 (84-86)	2100		
	Renault	LeCar/R-5 1.3 (76-78)	1910		
	Renault	LeCar/R-5 1.4 (79-84)	1910		
	Toyota	Corolla / SR5 (83-87)	2270		
	Toyota	Corolla / SR5 (2TC) (71-74)	2130		
	Toyota	Corolla / SR5 1.6 (75-79)	2230		
	Toyota	Starlet (81-83)	1850		
	Triumph	Spitfire (73-80)	1840		
	Triumph	Spitfire Mk III (68-70)	1750		
	Volkswagen	Beetle (68-77)	2000		
	Volkswagen	Super Beetle (71-77)	2000		
	Volkswagen	Beetle (98-99)	2760		
	Volkswagen	Jetta 1.7 (82-84)	2080		
	Volkswagen	Rabbit (75-80)	2000		
	Volkswagen	Rabbit 1.7 (81-84)	2050		
	Volkswagen	Scirocco (75-80)	2040		
	Volkswagen	Scirocco I 1.7 (1981)	2110		
	Volkswagen	Scirocco II 1.7 (82-84)	2110		
	Yugo	GV (1986)	1850		

Class STO	Manufacturer	Weight	Notes	Updated
Sequential Trans add 100 lbs. Alternate Front lower suspension pickup point add 50 lbs. Altered rear suspension add 50 lbs. Live axle RWD may reduce minimum weight -50 lbs. Front wheel drive may reduce minimum weight -50lbs. Front wheel drive with struts may reduce -50 lbs. Cars equipped with brake rotors > 356mm add 100 lbs.				
	BMW 335ci / 135i (2679cc)	3000		Jan
	BMW M3 (E36&E46) 3.2i	2600	3.4i permitted @ 2650 5.0i @ 3000	Jan
	BMW M3 (E92) 4.0i	2900		Jan
	Corvette L98 / LT1	3135	Max displacement of 383 ci allowed. Max bore & stroke: 4.00" x 3.75"	
	C6 Corvette 7.0 liter	3300	60mm flat plate restrictor or 45mmSIR	
	C6 Corvette 6.2 liter	3410		
	Dodge Viper ACR 8.4 liter	3400	60mm flat plate restrictor	
	Dodge Viper 8.4	3400	60mm flat plate restrictor	April

Current through SEPTEMBER 2010

FasTrack

15 of 30

Class STO	Manufacturer	Weight	Notes	Updated
Sequential Trans add 100 lbs. Alternate Front lower suspension pickup point add 50 lbs. Altered rear suspension add 50 lbs. Live axle RWD may reduce minimum weight -50 lbs. Front wheel drive may reduce minimum weight -50lbs. Front wheel drive with struts may reduce -50 lbs. Cars equipped with brake rotors > 356mm add 100 lbs.				
	Ferrari 430 Challenge	2880		
	Ferrari 360 Modena	2780		
	Ferrari 355	2780		
	Aston Martin DB9	3300		
	Honda S2000 2.0/ 2.2	2600	Allow supercharger	
	Acura NSX 3.0	2650	Allow supercharger	
	Acura CL	2800		
	Nissan 350Z	2450		
	Nissan 350/370Z	2600		
	Porsche 997	2960		
	Camaro / Firebird 5.7	3135		
	Camaro / Firebird 5.0	2750		
	Lotus 2-Eleven GT4 Supersport	2100		
	Mazda 12A street port	2450		
	Maserati Trofeo Light 4244cc	2900		Jan

Class STU	Factory Engine Displacement	Weight	Notes	Updated
Sequential Trans add 100 lbs. Alternate front lower suspension pickup point add 50 lbs. Altered rear suspension add 50 lbs. Live axle RWD may reduce minimum weight -50 lbs. Front wheel drive may reduce minimum weight -50lbs. Front wheel drive with struts may reduce -50 lbs.				
	1600	1760		
	1700	1870		
	1800	1980		
	1900	2090		
	2000	2200		
	2100	2310		
	2200	2420		
	2300	2530		
	2400	2640		
	2500	2750		
	2600	2860		
	2700	2970		
	2800	3080		
	2900	3190		
	3000	3300		
	13B and Renesis	2400	(13B street port permitted) (Renesis shall remain unported)	April
	12A	2350		April
	Nissan VQ		Sleeving permitted	

Class EP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Acura	Integra (86-89)	1489/1504 (58.6/59.2)	1950 (*1999 **2048)		
	Acura	Integra GSR (94-00)	62.3 / 62.1	2040 (*2091**2142)		
	Acura	Integra Type-R (97-00)	62.3 / 62.1	2165 (*2219 **2273)		
	Alfa Romeo	Alfetta GT (75-79)	1445/1440 (56.9/56.7)	1950		

Current through SEPTEMBER 2010

FasTrack

16 of 30

Class EP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Alfa Romeo	GTV 2000	1415/1377 (55.7/54.2)	1950		
	Alfa Romeo	GTV-6 (81-86)	1466/1443 (57.7/56.8)	2300 (*2358 **2415)		
	Alfa Romeo	all Spider models (-1994)	1430/1377 (56.3/54.2)	1950		
	Alfa Romeo	Spider Duetto & 1750 Spider (thru 1971)	1415/1359 (55.7/53.5)	1870		
	Austin-Healey	3000 Mk. I, II, III	1359/1384 (53.5/54.5)	2340		
	BMW	2002 / 2002tii	1430/1430 (56.3/56.3)	2000		
	BMW	318i & 320i	1481/1494 (58.3/58.8)	2000		
	BMW	Z3 1.9L	1481/1565 (58.3/61.6)	2000 (*2050 **2100)		
	BMW	325i/is (E30) (84-91)	1499/1506 (59.0/59.3)	2200 (*2255 **2310)		
	BMW	318is (1991)	1499/1506	2050 (*2101 **2153)		
	BMW	318is E36 (92-95)	1513/1518	2100 (*2153 **2205)		
	BMW	328i E36 (96-99)	59.6 / 60.1	2725 (* 279** 2861)		April
	BMW	Z3 2.8L (97-00)	59.8/60.5	2650 (*2716 **2783)		
	Chevrolet	Cavalier 2.0 (82-87)	1407/1402 (55.4/55.2)	2050		
	Chevrolet	Corvaair Coupe (65-69)	1516/1572 (59.7/61.9)	2200		
	Dodge	Neon (95-99)	61.5 / 61.5	2000 (*2050 **2100)		
	Dodge	Neon (95-99)	61.5 / 61.5	2000 (*2050 **2100)		
	Dodge	Neon (01-02)	62.3 / 62.4	2000 (*2050 **2100)		
	Dodge	Omni GLH 2.2	1560/1549 (61.4/61.0)	2050		
	Dodge	Shelby Charger / Omni 024 (83-84)	1486/1473 (58.5/58.0)	2000		
	Elva	Courier Mk I, II, & III 1622 & 1798	53.5/54.6	1622cc: 1530 1798cc: 1630		
	Elva	Courier Mk III, IV 1800 & Mk IV R & C	53.5/54.6	1630		
	Fiat	124 Sport Spider 1600 & 124 Spider 2000	1440/1407 (56.7/55.4)	2050		
	Ford	Escort 1.9 (85-87)	1455/1488 (57.3/58.6)	1870		
	Ford	Mustang (79-93)	60.8 / 61.2	2100 (*2153 **2205)		
	Ford	Pinto	1488/1509 (58.6/59.4)	2190		
	Ford	Probe (93-97)	64.1/64.1	2000 (*2050 **2100)		
	Honda	Civic Del Sol Si (93-94)	1567/1557 (61.7/61.3)	1950 (*1999 **2048)		
	Honda	Civic Si (99-00)	1567/1557 (61.7/61.3)	1950 (*1999**2048)		
	Honda	Prelude Si	1615/1605 (63.6/63.2)	2370 (*2430 **2489)		Feb
	Honda	Prelude Si VTEC (1993)	1632/1622	2730 (*2798 **2867)		

Current through SEPTEMBER 2010

FasTrack

17 of 30

Class EP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Honda	S2000 (00-03)	62.1/63.7	2520 (*2583 **2646)		
	Honda	S2000 (00-03)	62.1/63.7	2580(*2645**2707)	Prep Level 2	
	Hyundai	Tiburon FX 2.0L (97-98)	1466/1450 (57.7/57.1)	2000 (*2050 **2100)		
	Jaguar	XK-120, 140 & 150 (3.4 & 3.8L)	1455/1430 (57.3/56.3)	2740	(Reg. Only)	
	Jensen-Healey	GT	1448/1422 (57.0/56.0)	2090		
	Lotus	Caterham 7 America	1336/1349 (52.6/53.1)	1460		
	Lotus	Elise	62.1/63.7	2250(*2306**2363)	Prep Level 2	
	Mazda	RX-2	1372/1369 (54.0/53.9)	1950 (*1999 **2048)		
	Mazda	MX-5 / Miata 1.6L (-1993)	1478/1491 (58.2/58.7)	2175		
	Mazda	MX-5 / Miata 1.8L (90-97)	1483/1509 (58.4/59.4)	Carb: 2175 F.I: 2225	Level 1 Suspension Level 2 Drivetrain	
	Mazda	MX-5 / Miata 1.8L (94-97)	58.4 / 59.4	2050 (*2101 **2153)		
	Mazda	MX-5 / Miata (99-02)	1483/1509 (58.4/59.4)	2075 (*2127 **2179)		
	Mazda	MX-5 / Miata (06-09)	63.0/63.2	2450 (*2511 **2573)		
	Mazda	Protégé ES (01-03)	60.8 / 61.0	2000 (*2050 **2100)		
	Mazda	RX-3 & 3SP (72-78)	1410/1410 (55.5/55.5)	1950 (*1999 **2048)		
	Mazda	RX-4 (74-78)	60.0/59.0	2100 (*2153 **2205)		
	Mazda	RX-7 (12A / 13B) (79-85)	1524/1499 (60.0/59.0)	12A: 2100 (*2153**2205) 13B: 2190 (*2245 **2300)		
	Mazda	RX-7 (13B) (86-91)	1542/1532 (60.7/60.3)	2300(*2358**2415)		
	Mazda	RX-8 (04-09)	63.2/63.6	2450 *2511 **2573		
	MG	MGB & MGB-GT	1346/1351 (53.0/53.2)	1760		
	Mercedes-Benz	190E 2.3L (8-valve) (84-93)	1529/1510 (60.2/59.4)	2100 (*2153 **2205)		
	Mercury	Capri (79-86)	60.8 / 61.2	2100 (*2153 **2205)		
	Morgan	Super Sport	52.0 / 52.5	1820		
	Nissan / Datsun	240-Z	1445/1438 (56.9/56.6)	2200 (*2255 **2310)		
	Nissan / Datsun	260-Z	1445/1438 (56.9/56.6)	2300 (*2358 **2415)		
	Nissan / Datsun	SRL 311U Roadster	1364/1288 (53.7/50.7) (w / 6") 1389/1313 (54.7/51.7) (w / 7")	2000		
	Nissan / Datsun	200-SX / S10 (77-79)	1453/1405 (57.2/55.3)	1950		
	Nissan / Datsun	200-SX SE-R	1537/1516 (60.5/59.7)	2150 (*2204 **2258)		
	Nissan / Datsun	240-SX / S13	1524/1524 (60.0/60.0) 1572/1567 (61.9/61.7)	2320 (*2378 **2436)		SEP

Current through SEPTEMBER 2010

FasTrack

18 of 30

Class EP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Nissan / Datsun	240-SX S13/S14 (91-98)	1587/1577 (62.5/62.1)	2600 (*2665 **2730)		
	Nissan / Datsun	NX-2000	1524/1501 (60.0/59.1)	2150 (*2204 **2258)		
	Nissan / Datsun	Sentra SE-R (90-94)	1524/1501 (60.0/59.1)	2150 (*2204 **2258)		
	Nissan / Datsun	HL510 (78-81)	1478/1448 (58.2/57.0)	1900		
	Pontiac	Solstice (06-09)	65.1/65.8	2620 *2686 **2751		
	Pontiac	Fiero GT and Formula (85-88)	62.0/ 63.0	2500 *2563**2625		
	Porsche	911 2.2L	1374/1354 (58.2/57.4)	2050		
	Porsche	914-4	1435/1478 (56.5/58.2)	1820		
	Porsche	914-6 2.0L	1452/1499 (57.2/59.0)	1900		
	Porsche	924	1420/1392 (55.9/54.8)	2050		
	Porsche	944/924S 2.5L (2V) (83-88)	1568/1542 (61.7/60.7)	2250 (*2306 **2363)		
	Porsche	944S (87-88)	1568/1542 (61.7/60.7)	2800 (*2870 **2940)		
	Saturn	Sky (06-09)	65.1/65.8	2620 *2686 **2751		
	Toyota	Celica II 2.4L (81-82)	1486/1456 (58.5/57.3)	2140 (*2194 **2247)		
	Toyota	Celica 2.4L (83-85)	1486/1456 (58.5/57.3)	2140 (*2194 **2247)		
	Toyota	Celica GT	(62.9 / 62.5)	2090		Feb
	Toyota	Corolla GTS (84-89)	1524/1524 (60.0/60.0)	2060		
	Toyota	MR-2 ZZW30 (00-05)	(62.34/61.73)	2075 (*2127, **2179)		June
	Toyota	MR-2	1532/1532 (60.3/60.3)	1950		
	Toyota	Supra (82-85)		2500 (*2562**2625)		
	Triumph	GT6	1387/1387 (54.6/54.6)	1830	1970 lbs w/ 1.75" carbs 2020 lbs w/ DCOE carbs	
	Triumph	TR2, 3, 3A, 3B, 4, 4A	54.6 / 53.6	1820		
	Triumph	TR4, TR4A IRS	1346/1334 (53.0/52.5) 1387/1361 (54.6/53.6)	1820	This and above spec line combined see March	
	Triumph	TR250, TR6	1367/1354 (53.8/53.3)	2190		
	Triumph	TR7	1532/1499 (60.3/59.0)	2000		
	Volkswagen	Golf GTI (87-89)	60.5 / 60.2	1950 (*1999 **2048)		
	Volvo	P-1800, 1800S, 1800E, 1800ES Sports Coupe	1407/1407 (55.4/55.4)	1950		

Class FP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Acura	Integra (86-89)	58.6 / 59.2	1940*1989**2037		

Current through SEPTEMBER 2010

FasTrack

19 of 30

Class FP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Acura	Integra (90-93)	1567 / 1567	2235 (*2291 **2347)		
	Acura	Integra LS (95-01)	62.3 / 62.1	2235 *2291**2347		
	Alfa Romeo	Alfetta GT & Alfetta Sedan (75-79)	56.9 / 56.7	GT:2365 (*2424 **2483) Sedan:2465 (*2527 **2588)		
	Alfa Romeo	Giulia Spider Veloce	1335.3/1310.8 (55.6/54.6)	1850		
	Alfa Romeo	Giulia Sprint / Spider	1352.4/1310.8 (55.6 / 54.6)	1918		
	Alfa Romeo	GTV 1750/Spider 1750/ Berlina 1750 (67-72)	GTV: 55.7/54.2 Spider:56.3/54.2 Berlina:52.1/50.2	GTV / Berlina: 1865 (*1912 **1958) Spider: 1950 (*1999 **2048)		
	Alfa Romeo	GTV & Berlina (72-74)	GTV: 55.7 / 54.2 Berlina:52.1/50.2	2165 (*2219 **2273)		
	Alfa Romeo	Spider (72-86)	56.3 / 54.2	2265 (*2322 **2378)		
	Austin-Healey / MG	Sprite Mk. II, III, IV / Midget Mk I, II, III, IV & 1500	1229.9/1193.2 (50.2/48.7)	1275 @ 1630 1500 @ 1660		
	BMW	320i (E21) (77-79)	1481/1494 (58.3 / 58.8)	2110 (*2163 **2216)		
	BMW	320i (E21) (80-83)	1481 / 1494 (58.3 / 58.8)	2060 *2112**2163		
	BMW	318i (E30) (84-85)	59.0 / 59.3	2060*2112**2163		
	BMW	1600	57.3 / 57.3	1891		
	BMW	2002/tii	1379.4/1379.4 (56.3 /56.3)	2075 (*2127 **2179)		
	Chevrolet	Chevette 1.6	55.75 / 55.75	1853		
	Dodge	Shelby Charger / Omni 024 (83-84)	61.4 / 61.0	2250 (*2306 **2363)		
	Elva	Courier Mk. I, II & III 1622 & 1798	1359/1387 (53.5/54.6)	1622cc: 1800 1798cc: 1825		
	Elva	Courier Mk. III, IV 1800 & Mk, IV R & C	1359/1387 (53.5/54.6)	1825		
	Fiat	124 Sport Spider (-1977)	56.7 / 55.4	1875	1965 lbs w/ IDF carb	
	Fiat	X-1/9 & Bertone	56.3 / 56.6	1815		
	Fiat	X-1/9 & Bertone 1300	56.3 56.6	1715		
	Ford	Capri 2000 (71-74)	55.5 / 54.5	2050		
	Ford	Fiesta (78-80)	56.5 / 56.0	1790		
	Ford	Pinto	58.6 / 59.4	2030		
	Honda	Civic 1.5 (88-91)	59.8 / 60.0	1950		
	Honda	Civic / Civic Si (84-87)	59.3 / 59.9	1900		
	Honda	Civic Si (92-95)	62.3 / 61.9	1950 *1999 **2048		
	Honda	Civic Si (88-91)	61.4 / 61.3	2075	Prep level 1	
	Honda	Civic EX VTEC SOHC (92-95)	1567/1557 (61.7/61.3)	1950 *1999 **2048		
	Honda	CRX 1.5 (88-91)	59.8 / 60.0	1950		
	Honda	Prelude (84-87)	62.1 / 62.1	2080 (*2132 **2184)		
	Honda	CRX / CRX Si (84-87)	59.3 / 59.9	1900		

Current through SEPTEMBER 2010

Class FP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Honda	CRX Si (88-91)	1560/1567	1900 (*1948 **1995)	Prep level 2	
	Honda	Civic Si (88-91)	1560/1567	1900 (*1948 **1995)	Prep level 2	
	Honda	CRX Si (88-91)	1560/1567 (61.4/61.7)	2075		
	Honda	Civic Si (88-91)	1560/1567 (61.4/61.7)	2075		
	Honda	Civic Del Sol	1567/1557 (61.7/61.3)	2190 (*2245 **2300)		
	Jenson	Healy	1448/1422	2300(*2358**2415)		Jan
	Lancia	Scorpion (1976)	59.8 / 61.5	2030		
	Lotus	Super Seven	1293/ 1400 (50.9/55.1)	1530	51.8 front track w/ alt. front brakes	
	Lotus	Mk 46,54,65 Europa	1440/1440 (56.7/56.7)	1630		
	Lotus	Super Seven Series Four	1331/1400 (52.4/55.1)	1735		
	Mazda	626 (84-87)	60.5 / 60.3	2000 (*2050 **2100)		
	Mazda	GLC / 323 (86-88)	57.4 / 58.4	1800 (*1845 **1890)		
	Mazda	Miata 1.6L (90-93)	1479/1491	2075 (*2127 **2179)		
	Mercury	Capri 1.6L (91-94)	1479/1524	1950 *1999**2048		
	MG	MGA Coupe & Rdstr.	52.0 / 53.3	1862		
	MG	MGB & MGB-GT	1346/1351 (53.0/53.2)	2000		
	Nissan/Datsun	PL510	54.5 / 54.4	1891		
	Nissan/Datsun	SPL 311/311-U	54.7 / 51.7	1824		
	Opel	GT	52.9 / 54.1	1900		
	Opel	Manta (71-75)	55.5 / 55.1	1950		
	Porsche	356, A, C (1500, 1600)C (1600) SC,B, Super 90 Cabriolet	55.0 / 53.7	1920		
	Porsche	912 Coupe / Targa (-1969)	57.5 / 56.2	1950		
	Porsche	914-4	56.5 / 58.2	1970		
	Porsche	924 (76-84)	1420/1392	2200 (*2255 **2310)		
	Saab	900S (85-94)	60.5 / 60.9	Sedan: 2160 *2214**2268 Convertible: 2260*2317**2373		
	Saturn	SL2	61.0 / 60.2	2235	Prep Level 2	
	Sunbeam	Alpine I, II, III, IV, V, & Harrington LeMans	55.1 / 54.0	1976		
	Suzuki	Swift GT GTi	58.4 / 57.4	1691		
	Toyota	Corolla (2TC) (75-79)	54.5 / 55.5	1853		
	Toyota	MR-2 1.6L (85-89)	1532/1532	2075 (*2127 **2179)		
	Triumph	TR2/3/4	1346/1334 1387/ 1361	2060		
	Triumph	Spitfire Mk.III	53.6 / 52.6	1680		Jan
	Triumph	Spitfire Mk. IV & 1500	53.6 / 54.6	1275 = 1680 1493 = 1660	1830 lbs w/ (2) 1.25" SU	Jan
	Turner	1500	48.9 / 48.2	1700		
	Volkswagen	Golf 1.8 (85-92)	60.5 / 60.2	1950		
	Volkswagen	Golf III (93-98)	62.4 / 61.7	1995 (*2045 **2095)		

Current through SEPTEMBER 2010

FasTrack

21 of 30

Class FP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Volkswagen	Jetta (includes GLI) (82-84)	58.9 / 57.2	1920		
	Volkswagen	Jetta 1.8L (85-92)	60.5 / 60.2	1950		
	Volkswagen	Rabbit 1457/1471	58.9 / 57.2	1520		
	Volkswagen	Rabbit 1588	58.9 / 57.2	1663		
	Volkswagen	Rabbit 1715 / 1780	58.9 / 57.2	1853		
	Volkswagen	Scirocco 1457 / 1471	58.9 / 57.2	1520		
	Volkswagen	Scirocco 1588	58.9 / 57.2	1663		
	Volkswagen	Scirocco 1715 / 1780	58.9 / 57.2	1853		
	Volvo	P-1800/1800S/ 1800E/ 1800ES Sports Coupe	55.4 / 55.4	1995		
	Volvo	142 / 142E	1415/1415 (55.7/55.7)	2050		

Class GP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Alfa Romeo	Giulietta Sprint & Spider, 750 & 101, Normale (Spider) & Veloce (Super Spider)	54.5 / 53.5	1879 (1980 w/ dual carbs)		
	BMW	1600	56.3 / 56.3	2100		
	Chevrolet	Chevette 1.6	54.75/54.75	2080		
	Fiat	124 Sport Coupe	56.7 / 55.4	1975		
	Fiat	X-1/0 & Bertone	56.3 / 56.6	1960		
	Ford	Escort / Mercury Lynx (81-84)	57.2 / 58.5	2020		
	Honda	Civic	53.7 / 52.9	1830		
	Honda	CRX/Si (84-87)	59.3 / 59.9	2200		
	Honda	Civic/Si (84-87)	59.3 / 59.9	2200		
	Mazda	GLC (FWD)	57.2 / 57.4	1920		
	MG	MGA 1500 / 1600 / 1622 Coupe	51.0 / 52.3	2060		
	MG	MGA 1500 / 1600 / 1622 Roadster	51.0 / 52.3	2056		
	MG	MGA Twin Cam	51.0 / 52.3	2199		
	MG	MGB & MGB-GT	53.0 / 53.2	1950 (*1999 **2048)		
	Mini	Cooper (02-04)	61.6 / 61.9	2200 (*2255 **2310)		
	Mini	Cooper (2005)	61.6 / 61.9	2310 (*2368 **2426)		
	Nissan / Datsun	210 1.4	56.0 / 54.7	1800		
	Nissan / Datsun	B-210 1.4	52.7 / 51.5	1800		
	Nissan / Datsun	PL510	54.5 / 54.5	2090		
	Nissan / Datsun	SPL 311 / 311-U	53.7 / 50.7	2020		
	Porsche	914 4 (1.8L)	56.5 / 58.2	2000 (*2050 **2100)		
	Suzuki	Swift GT & GTi	57.4 / 56.4	1870		
	Toyota	Corolla (2TC) (71-74)	54.5 / 55.5	1950		
	Turner	950-S	48.9 / 48.2	1317		
	Volkswagen	Rabbit 1457 / 1471 (includes Cabriolet / Convertible)	58.9 / 57.2	1705		
	Volkswagen	Rabbit 1588 (includes Cabriolet / Convertible)	58.9 / 57.2	1915		

Current through SEPTEMBER 2010

FasTrack

22 of 30

Class GP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Volkswagen	Rabbit 1715 (81-84)	58.9 / 57.2	2000 (*2050 **2100)		
	Volkswagen	Rabbit GTI 1780 (8-valve) (83-84)	58.9 / 57.2	1965 (*2014 **2063)		
	Volkswagen	Scirocco 1457/1471	58.9 / 57.2	1705		
	Volkswagen	Scirocco 1588	58.9 / 57.2	1915		
	Volkswagen	Scirocco 1715 (81-84)	58.9 / 57.2	2000 (*2050 **2100)		
	Volkswagen	Scirocco 1780 (8-valve) (83-88)	58.9 / 57.2	1965 (*2014 **2063)		
	Volkswagen	Jetta 1780 (85-91)	60.5 / 60.2	1965 (*2014 **2063)		
	Volkswagen	Golf (GTI, GT, GL)	60.5 / 60.2	1965 (*2014 **2063)		
	Volvo	142 / 144 2.0 (69-74)	55.7 / 55.7	2100 (*2153 **2205)		

Class HP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Austin-Healey MG	Sprite Mk I,II, III, IV / Midget Mk I, II, III, IV (948)	50.2 / 48.7	1550		
	Austin-Healey MG	Sprite Mk I, II, III, IV / Midget Mk I, II, III, IV & 1500	50.2 / 48.7	1680	Level 1 Suspension Level 2 Drivetrain	
	Austin-Healey MG	Sprite Mk I, II, III, IV / Midget (ALL) (1275)	50.2 / 48.7	1550 (*1590 **1630)		
	Austin-Healey MG	Sprite Mk I, II, III, IV / Midget (ALL) (1098)	50.2 / 48.7	1425 (*1461 **1496)		
	Austin-Healey MG	Sprite Mk.I, II, III, IV / Midget Mk.I, II, III, IV, Midget 1500	50.2 / 48.7	1740		
	Alfa Romeo	Giulietta Sprint, Spider, normale, Veloce 750,101	54.5/53.5	2130	Prep Level 1	
	BLMI	Austin/Morris Mini-Cooper 1275	53.0 / 53.0	1415 (*1450 **14886)		
	BLMI	Austin/Morris Mini-Cooper 1275	53.0 / 53.0	1600	Level 1 Suspension Level 2 Drivetrain	
	BMW	1600 (68-71)	56.5 / 56.5	1950 (*1999 **2048)	(2) DC40E w/30mm: 2050 (*2101 **2153)	
	Fiat	X-1/9 & Bertone 1500	56.3 / 56.6	1900 (*1948 **1995)		
	Fiat	X-1/9 1300	56.3 / 56.6	1725 (*1768 **1811)		
	Fiat	X-1/9 1300	56.3 / 56.6	2115		
	Fiat	X-1/9 1500	56.3 / 56.6	2070	Level 1 Suspension Level 2 Drivetrain	
	Fiat	124 Sport Coupe	1441/1408	2055 (*2106 **2158)		
	Fiat	124 Spider & Sport Coupe	56.7 / 55.4	2250		
	Fiat	Spider & Racer (-1973)	49.5/51.6	1477		Aug
	Ford	Escort & Mercury Lynx (81-84)	58.2 / 59.5	2190		
	Ford	EXP (81-84)	58.2 / 59.5	2190		
	Ford	Fiesta (78-80)	56.0/55.5	1775 (*1819 **1864)	Carb. No. & Type: (2) automotive side draft w/30mm chokes @ 75 lbs. penalty.	

Current through SEPTEMBER 2010

Class HP	Manufacturer	Model (Years)	Track	Weight *alt. syncro trans **alt. dog-ring trans	Notes	Updated
	Ford	Festiva (88-93)	60.1 / 59.5	1700 (*1743 **1785)		
	Honda	Civic	53.7 / 52.9	1920		
	Honda	Civic/Si (84-87)	58.8 / 59.1	1850 (*1896 **1943)		
	Honda	Civic 1.5 (88-91)	59.8 / 60.0	2000 (*2050 *2100)		Jan
	Honda	CRX/Si (84-87)	58.5 / 59.1	1850 (*1896 **1943)		
	Honda	CRX 1.5 (88-91)	59.8 / 60.0	2000 (*2050 **2100) 2175 *2229 **2284		Jan JUL
	Honda	Fit (07-08)	61.5/61.3	1900 (*1948 **1995)		
	Lotus	Lotus 7 & 7 America	50.9 / 52	1550 948 eng: 1450 *1487 **1523		Jan JUL
	Mazda	GLC (RWD)	53.5 / 54.5	1960		
	MG	MGB & MGB-GT	53.0 / 53.2	2100 (*2153 **2205)		
	Mini	Cooper (02-06)	61.6 / 61.9	2080 (*2132 **2184)		
	Nissan / Datsun	1200	53.5 / 51.5	1660		
	Nissan / Datsun	210 (79-82)	56.0 / 54.7	1850 (*1896 **1943)		
	Nissan / Datsun	210 1.4	56.0 / 54.7	2050		
	Nissan / Datsun	B-210 1.4	52.7 / 51.5	2050		
	Nissan / Datsun	PL510	54.5 / 54.5	2050 (*2101 **2153)		Jan
	Opel	GT	53.0 / 54.0	1595		
	Porsche	914-4 (1.8L)	56.5 / 58.1	2150 (*2204 **2258)		
	Renault	Alliance 1.4	57.7 / 55.3	1935		
	Renault	Alliance / Encore 1.7 (84-87)	58.7 / 56.3	1800 (*1845 **1890)		
	Renault	R5/LeCar	52.7 / 51.8	1990	Prep Level 1	
	Suzuki	Swift GA 1.3L (89-94)	58.4 / 57.4	1600 (*1640 **1680)		
	Toyota	Corolla (71-74)	54.5 / 55.5	2050 (*2101 **2153)		Jan
	Toyota	Yaris	57.9 / 57.5	1900(*1948**1995)		Jan
	Triumph	Spitfire	53.6 / 52.6	1665 (*1707 **1748)		
	Triumph	Spitfire 1500	53.6 / 54.6	1665 (*1707 **1748)		
	Triumph	Spitfire Mk. I & II	52.6 / 51.5	1720	1730 lbs w/ #303014 cyl. head	
	Triumph	Spitfire	53.6 / 52.6	1810	Level 1 Suspension Level 2 Drivetrain	
	Volkswagen	Golf (GTI, GT, GL)	60.5 / 60.2	2065 (*2117 **2168)		
	Volkswagen	Jetta 1780 (85-91)	60.5 / 60.2	2065 (*2117 **2168)		
	Volkswagen	Rabbit 1588	58.9 / 57.2	1785 (*1830 **1874)		
	Volkswagen	Rabbit 1715 (81-84)	58.9 / 57.2	1990 (*2040 **2090)		
	Volkswagen	Rabbit GTI / Cabriolet 1780 (83-84)	58.9 / 57.2	2065 (*2117 **2168)		
	Volkswagen	Scirocco 1457 / 1471	58.9 / 57.2	1650 (*1691 **1733)		
	Volkswagen	Scirocco 1588	58.9 / 57.2	1785 (*1830 **1874)		
	Volkswagen	Scirocco 1715 (81-84)	58.9 / 57.2	1990 (*2040 **2090)		
	Volkswagen	Scirocco 1780 (83-88)	58.9 / 57.2	2065 (*2117 **2168)		

Class AS	Manufacturer	Model (Year)	Weight	Notes	Updated
	Cadillac	CTS-V (04-05)	3940		
	Cadillac	CTS-V (06-07)	3990		

Current through SEPTEMBER 2010

FasTrack

24 of 30

Class AS	Manufacturer	Model (Year)	Weight	Notes	Updated
	Chevrolet / Pontiac	Camaro / Firebird (82-92)	3230 + 150lbs for Edelbrock heads	Over 313 CID = 3530 + 150lbs for Edelbrock heads	April
	Chevrolet / Pontiac	Camaro / Firebird (93-02)	3230 + 150lbs for Edelbrock heads	Over 313 CID = 3530 + 150lbs for Edelbrock heads	April
	Chevrolet / Pontiac	Camaro / Firebird (93-97)	3480	SS/WS6 @ 3580	
	Chevrolet / Pontiac	Camaro / Firebird (98-02)	3680		
	Chevrolet	Camaro (98-02)	3580	Restricted Prep	
	Ford	Mustang (79-93) Incl. Cobra & Cobra R	3030 + 150lbs for Edelbrock heads	Over 313 CID = 3330 + 150lbs for Edelbrock heads	April
	Ford	Mustang (94-98) Incl. Cobra thru 1995	3230 + 150lbs for Edelbrock heads	Over 313 CID = 3530 + 150lbs for Edelbrock heads	April
	Ford	Mustang Cobra (94-95)	3580		
	Ford	Mustang Cobra R (1995)	3680		
	Ford	Mustang Cobra (96-98)	3480		
	Ford	Mustang Cobra (99-02)	3680		
	Ford	Mustang Incl. Cobra (99-04)	3230 + 150lbs for Edelbrock heads	Over 313 CID = 3530 + 150lbs for Edelbrock heads	April
	Ford	Mustang Mach 1 (03-04)	3480		
	Ford	Mustang GT (2005-09)	3230 + 150lbs for Edelbrock heads	Over 313 CID = 3530 + 150lbs for Edelbrock heads	April
	Ford	Mustang Coupe GT (05-09)	3480		
	Mercury	Capri (79-86)	3030 + 150lbs for Edelbrock heads	Over 313 CID = 3530 + 150lbs for Edelbrock heads	April
	Pontiac	GTO (04-06)	3430 + 150lbs for Edelbrock heads	Over 313 CID = 3630 + 150lbs for Edelbrock heads	April
	Pontiac	GTO (04-06)	3480		June

Class SSB	Manufacturer	Model (Year)	Track	Weight	Notes	Updated
	Acura	Integra GS-R VTEC (3 or 4 door) (95-01)	1476 / 1471 or 1481 / 1476 with alt. Susp.	2725		
	Acura	RSX Type-S (02-04)	1482 / 1481	2895		
	Acura	RSX Type-S (05-06)	1487 / 1486	2995		
	Audi	A4 V-6 (96-01)	1496 / 1473	3055		
	BMW	318is (95-99)	1407 / 1420	2840		
	BMW	318ti Sport (96-99)	1407 / 1420	2860		
	BMW	Z4 (03-05)	1473 / 1524	3125 3195		Aug
	Chevrolet	Camaro V-6 (96-02)	1552 / 1549	3360		
	Ford	Contour SVT (98-00)	1504 / 1486	3180		
	Ford	Mustang V-6 (01-04)	1529 / 1539	3240		
	Ford	Mustang V6 (05-07)	1582.5 / 1587.5	3290		
	Honda	Civic Si (06-08)	1499 / 1527	3050 3075		
	Honda	Prelude (Non-SH) (97-01)	1525 / 1515	2950		
	Honda	Prelude SH (97-01)	1525 / 1515	3030		
	Mazda	MX-5 / Miata Sport (99-00)	1435 / 1461	2380		
	Mazda	MX-5 / Miata (01-05)	15" wheel: 1435 / 1461 16" wheel: 1448 / 1474	2405		
	Mazda	MX-5 (06-08)	1491 / 1496	MSR 2650 Non MSR 2500		
	Mazda	MX-5 (2009)	1491/1497	2650		
	Mazda	Mazda6 s (03-07)	1530 / 1520	3360		
	Mini	Cooper S (02-04)	1453 / 1461	2750		
	Mini	Cooper S (05-06)	1453 / 1461	2750		
	Mitsubishi	Eclipse GT (00-05)	1509 / 1509	3170		
	Nissan	Sentra Spec-V	1466/1446	3190		

Current through SEPTEMBER 2010

Class SSB	Manufacturer	Model (Year)	Track	Weight	Notes	Updated
	Pontiac	Firebird V-6 (96-02)	1552 / 1549	3360		
	Pontiac/Saturn	Solstice/Sky (06-09)	1543 / 1561	3000		
	Toyota	MR-2 Spyder 16V DOHC (01-05)	1475 / 1460	2370		
	Toyota	Matrix XRS (03-08)	1519 / 1497	2905		May
	Volkswagen	Golf GTi VR6 (96-99)	1450 / 1433	2930		

Class SSC	Manufacturer	Model (Year)	Track	Weight	Notes	Updated
	Acura	Integra LS (3 door) (95-01)	(-99): 1476 / 1476 (00-): 1475 / 1470	2570		
	Acura	Integra GS-R VTEC (3 and 4 door) (94-01)	1476/1471	2775		April
	Acura	RSX (02-06)	1482 / 1481	2825		
	Chevrolet	Cobalt SS Coupe (06-07)	1492 / 1475	3100		
	Chevrolet	Cobalt Sport (2008)	1492 / 1475	3100		
	Chrysler	Neon ACR SOHC (4 door) (95-99)	1458 / 1471	2500		
	Chrysler	Neon ACR DOHC Coupe (95-99)	1458 / 1471	2600		
	Chrysler	Neon ACR SOHC (4 door) (01-02)	1474 / 1476	2650		
	Ford	Focus ZX-3 (00-03)	1494 / 1486	2464		
	Ford	Focus ZX4 ST (05-06)	1496 / 1491	2750		
	Ford	Escort ZX-2 SR (98-00)		2630		
	Ford	Escort ZX-2 (98-03)	1435 / 1435	2630		
	Ford	Focus SVT (2002 1/2)	1494 / 1486	2930		
	Honda	Accord EX, LX (03-05)	1552 / 1554	2985		
	Honda	Accord EX, LX (06-07)	1553 / 1554	3030		
	Honda	Accord LX-S,EX,EX-L (2008-2009)	1580 / 1580	3300		
	Honda	Civic Coupe (96-00)	1476 / 1476	2500		
	Honda	Civic Coupe Si (99-00)	1476 / 1476	2730		
	Honda	Civic Si (02-03)	1468 / 1469	2700		
	Hyundai	Tiburon V-6 (03-04)	1490 / 1490	3290		
	Kia	Forte Koup/ Sedan LX/EX (2010-)	1560/1565	2790		May
	Kia	Forte Kou p/sedan SX (2010-)	1560/1565	3170		May
	Mazda	Mazda3 s (04-09)	1529 / 1514	2850		
	Mazda	Mazda 3 s (2010)	1530 / 1514	3115		
	Mazda	Protégé LX (01-03)		2730		
	Mazda	Protégé ES (99-00)	1471 / 1471	2630		
	Mazda	Protégé ES (01-03)		2730		
	Mazda	Protégé MP3 (2001)	1455 / 1460	2780		
	Mazda	Protégé 5 (02-03)	1465 / 1470	2745		
	Mini	Cooper (02-03)	1458 / 1466	2655		
	Mini	Cooper (04-07)	1458 / 1466	2555		
	Mitsubishi	Lancer GTS (2009)	1530 / 1530	3150		
	Nissan	Sentra SER Spec-V (02-04)	1466 / 1446	3100		
	Nissan	Sentra SER Spec-V (05-06)	1466 / 1446	3150		
	Nissan	Sentra SER (02-03)	1476 / 1455	2860		
	Pontiac	G5 GT (2007)	1492 / 1475	3100		
	Pontiac	G5 GT (2008)	1492 / 1475	3100		
	Pontiac	Sunfire GT (2002)	1464 / 1438	2900		
	Saturn	SC2 Coupe (97-00)	1443 / 1422	2475		
	Saturn	SC2 Coupe (01-03)	1443 / 1422	2300		
	Saturn	SL2 (97-00)	1443 / 1422	2560		
	Saturn	SL2 (01-03)	1443 / 1422	2560		
	Scion	tC (03-07)	1506 / 1506	2900		
	Subaru	Impreza (04-06)	1485.9 / 1480.9	3135		
	Toyota	Celica GT (00-05)	1489 / 1479	2530		
	Toyota	Celica GTS (00-05)	1488 / 1478	2910		Jan
	Toyota	Corolla XRS (2005)	1480.8 / 1460.5	2750		

Current through SEPTEMBER 2010

Class SSC	Manufacturer	Model (Year)	Track	Weight	Notes	Updated
	Toyota	Matrix Base and XR (03-08)	1519 / 1497	2830		May
	Volkswagen	Beetle (98-05)	1516 / 1494	2975		
	Volkswagen	Rabbit (06-07)	1540 / 1519	2975		
	Volkswagen	Rabbit (07-08)	1540 / 1519	3200		
	Volkswagen	Jetta TDI (2009)	1540 / 1519	3200		

Class SM	Model Year	Weight	Notes	Track (max)	Updated
	90 – 93	2285 2275	No Restrictor	Front 1450 mm / Rear 1465	Aug
	94 – 95	2375 2400	45mm restrictor	Front 1450 mm / Rear 1465	Aug
	96 - 97	2375 2400	45 mm Restrictor	Front 1450 mm / Rear 1465	Aug
	99 - 00	2450	41 mm Restrictor	Front 1450 mm / Rear 1475	
	01 – 05	2450	43 mm Restrictor	Front 1450 mm / Rear 1475	

Class ASR	Engine Type	Engine Displacement	Weight	Notes	Updated
	All	All	750	Without Driver Tube chassis – Max. 1800 lbs Composite chassis – Max – 1500 lbs	
Cars registered prior to 1/1/03 see table below (weight w/ driver)					
	All – Rotary	2292cc	1362		
	All	1300cc – 2000cc	1200		
	All	2001cc – 3000cc	1250		
	All – stock block & heads	3001cc – 4000cc	1602		
	All – stock block and heads	4001cc – 5000cc	1811		

Class CSR	Engine Type	Engine Displ.	Weight	Notes	Updated
-----------	-------------	---------------	--------	-------	---------

Updated CSR Table June Fastrack

Turbocharged or Supercharged	765	1200		36mm venturis or 33mm SIR	
2 cycle	1200	1100		Maximum 4 cylinders	
2 cycle	1350	1200			
4 cycle Motorcyclebased	1355	1075			
4 cycle Motorcyclebased	1455	1125			
4 cycle Motorcyclebased	1615	1175			
4 cycle 2 valve	1615	1100			
4 cycle 2 valve	2135	1200			
4 cycle 4 valve	1615	1300			
4 cycle, 4 cyl 4 valve	2000	1350		2 seat cars only per 9.1.9.A.2.a.14.	
4 cycle, 4 cyl. 2 valve	2500	over 1615 cc up to 2000 cc: 1300 lbs; over 2000 cc up to 2500 cc: 1350 lbs.		33mm SIR, except under 2000cc, less than 10:1 CR, unrestricted; under 2500cc, less than 9:1 CR, unrestricted	
4 cycle, 4 cyl. 4 valve	2500	over 1615 cc up to 2000 cc: 1300 lbs; over 2000 cc up to 2500 cc: 1350 lbs		31mm SIR, except under 2000cc, less than 10:1 CR, unrestricted; under 2500cc, less than 9:1 CR, unrestricted	
Mazda 12A Rotary		1300		Non-peripheral, non-bridge port	
Mazda 12A Rotary		1300		Bridgeport One IDA 48mm w/ 38mm venturis or FI w/ 38mm restrictors per port	

Current through SEPTEMBER 2010

FasTrack

27 of 30

Mazda 13B Rotary		1300	Non-peripheral, non-bridge port One 2 bbl auto-type carb w/ 46mm choke(s) or one 2bbl F.I. w/ 46mm restrictors	
Mazda 13B Rotary		1300	Peripheral Port 36mm SIR	
Mazda Renesis Rotary		1300	Porting not permitted. Unmodified OEM lower intake manifold required, upper manifold unrestricted. Balance tube not permitted. Apex seals unrestricted. Fuel injection only. 70mm Throttle Body	
Olds Quad 4	2300	1300	Engine must conform to the specifications in 9.1.9.E.	

Class DSR	Drive Type	Weight	Notes	Updated
	Chain and belt drive	900		
	All others	1000		

Class S2000	Weight	Notes	Updated
	1310	1335 lbs w/ aluminum cyl. head	

Class SRF	Weight	Notes	Updated
	1670		
	35 – 65	Nose section	
	25 (min)	Center section	
	30 (min)	Tail section	

Class T1	Manufacturer	Model (Year)	Weight	Notes	Updated
	BMW	M3 E92 (08-09), M3 GTS	3300		Feb
	Chevrolet	Camaro SS (98-02)	3280		
	Chevrolet	Corvette C6 Coupe (05-09) Corvette Grand Sport (2010-)	LS2@3280 LS3@3450	05-07 and 08 spec line combined in March	Jan
	Chevrolet	Corvette C-5 Incl. Fxd Cpe (98-04) Z06 (hardtop) (01-04)	3180		
	Chevrolet	Corvette Coupe (2008-2009)	3450		
	Dodge	Viper RT-10/ RT-10 ACR & GT-S /GT-S ACR (96-02)	3460		
	Dodge	Viper SRT-10 Incl. Coupe (03-06)	3600		
	Ferrari	360 Modena (00-02)	2825		
	Ferrari	355 Berlinetta (95-99)	3180		
	Ford	Mustang Cobra R (2000)	3630		
	Ford	Mustang Cobra SVT (03-04)	3780		
	Maserati	Coupe GT Cambiocorsa (2004)	Coupe: 3825 Cambiocorsa: 3900		
	Pontiac	Firebird WS-6 (98-02)	3280		
	Porsche	911 GT3 (03-05)	3100		Feb
	Porsche	911 Carrera S (05-07)	2900		
	Saleen	Parnelli Jones Mustang (2007)	3560		
	Steeda	Q335 Mustang (2007)	3460		

Current through SEPTEMBER 2010

FasTrack

28 of 30

Class T2	Manufacturer	Model (Year)	Weight	Notes	Updated
	Acura	Integra Type-R (97-01)	2780		
	Acura	NSX (97-03)	3100		
	Acura	TL Type S (07-08)	3660		
	Audi	S4 (2004)	3920		
	BMW	135i (08-09)	3680		Feb
	BMW	M Coupe (98-99)	3130		
	BMW	M Coupe (2002)	3350		
	BMW	M3 (95-99)	3180		
	BMW	M3 (01-06)	3500		
	BMW	328 ci/i (1999)	3030		
	BMW	330i/Ci (01-03)	3335		
	BMW	330i Sedan (2006)	3335		
	BMW	335CI (2007)	3680		
	BMW	Z4 3.0L (03-04)	3120		
	BMW	Z4 M Coupe (2007)	3375		
	Cadillac	CTS-V (04-05)	3940		
	Cadillac	CTS-V (06-07)	3990		
	Chevrolet	Cobalt SS (2008-2009)	3150		
	Chevrolet				
	Chevrolet	Camaro SS (98-02) Camaro Z-28 (98-02)	3530		Feb
	Chevrolet	Camaro (2010)	3990		Jan
	Chevrolet	HHR SS (2008- 2009)	3150		
	Dodge	SRT-4 (03-05)	2950	(effective 3/1/09) 38mm turbo inlet restrictor required	
	Ford	Mustang Cobra DOHC (99-02)	3680		
	Ford	Mustang Coupe GT; Shelby GT (05-09)	3480		
	Ford	Mustang Mach I (03-04)	3230		
	Hyundai	Genesis Coupe (2010-)	3240		May
	Infiniti	G35 Coupe (03-06)	3268		
	Lotus	Elise (2005)	2090		
	Lotus	Elise SC (2005)	2190		
	Lotus	Exige (06-07)	2090		
	Lotus	Exige S (06-07)	2190		
	Lotus	Club Racer (2008)	2190		
	Lotus	S240 (2008)	2400		
	Mazda	MazdaSpeed 3 (2007)	3250		
	Mitsubishi	Lancer Evolution Evo8/9/RS/GSR/MR (03-06)	3480		
	Nissan	350Z Track/Touring/Standard (03-08), NISMO	3268 3168		JUL
	Nissan	370Z (09-10)	3400		Jan
	Nissan	370Z Nismo (09-10)	3500		May
	Pontiac	Firebird Formula & Trans-Am & W-6 (98-02)	Formula / Trans Am / W-6 / all @ 3530	1 IE suspension add 100 lbs.	
	Pontiac	GTO (04-06)	5665cc @ 3580 5967cc @ 3680		
	Pontiac/Saturn	Solstice GXP/Sky Red line (07-09) Coupe / Convertible	3150		
	Porsche	Boxster S (00-03)	3080		
	Porsche	Boxster S (2005)	3240		
	Porsche	911 996 3.6l (98-05)	3500		May
	Porsche	Caymen (06-08)	2775		
	Porsche	Caymen S (06-08)	3300		
	Porsche	Caymen S(09-10)	3470		Feb
	Subaru	Impreza WRX STi (03-07)	3480		
	Subaru	WRX STi (08-09)	3480		

Current through SEPTEMBER 2010

Class T3	Manufacturer	Model (Year)	Weight	Notes	Updated
	Audi	TT Quatro Coupe (03-05)	3340		
	BMW	325i Sedan (2006)	2950		
	BMW	Z4 (03-05)	2900		
	BMW	Z4 Roadster/Coupe 3.0si	3500		
	Chevrolet	Cobalt SS (05-07)	2950 3025		May SEP
	Chevrolet	Cobalt SS (08-09)	3100		Jan
	Chevrolet	HHR SS	3300	36mm turbo inlet restrictor	
	Chevrolet	Camaro V6 (2010)	3800		Jan
	Chrysler	Crossfire Coupe (2004)	3180		
	Dodge	SRT-4 (03-05)	3100		Jan
	Ford	Mustang GT (incl. Bullitt) (01-04)	3330		April
	Honda	S2000 (00-09)	2.0L @ 2930 2.2L @ 3020		Jan
	Honda	S2000 CR (2008-2009)	3020		Jan
	Hyundai	Genesis Coupe (2010-)	3200		May
	Lexus	IS300 (02-05)	3370		
	Lotus	Elise (2005-2010)	2310		June
	Lotus	Exige (06)	2310		June
	Mazda	Mazda6 s (03-05)	3360		
	Mazda	MazdaSpeed 3 (2007-2010)	3100		Jan Feb
	Mazda	MazdaSpeed Miata (04-05)	2480	Effective 2/1/09 31mm turbo Inlet Restrictor required	
	Mazda	RX-8 (04-08)	2920		May
	Mazda	RX-8 R3 (2009)	2920		
	Mini	Cooper S (02-06)	2630		
	Mini	Cooper S (07-08)	2830		
	Nissan	Sentra SER SpecV (02-06)	2770		
	Nissan	350Z Track/Touring/Standard (03-08), NISMO	3400		Jan
	Pontiac	G6 GTP Coupe (2006)	3600		
	Saturn	Ion Redline (04-07)	2890		
	Scion	tC (2005)	2905		
	Subaru	Legacy GT Sedan/Wagon (04-08) Including Spec B (08-09)	3410	Effective 3/1/09 38mm Turbo Inlet Restrictor required	
	Subaru	Impreza WRX (02-04)	3085	Effective 3/1/09 37mm Turbo Inlet Restrictor required	
	Subaru	Impreza WRX TR (06-07)	3310	Effective 3/1/09 38mm Turbo Inlet Restrictor required	
	Volkswagen	GTI (06-10) Jetta GLI (06-10)	3130	Non-DSG trans @ 3100 Effective 3/1/09 38mm Turbo Inlet Restrictor required	Feb April
	Volkswagen	Jetta TDI (2009-)	3100		April

Class ST	Manufacturer	Model (Year)	Weight	Notes	Updated
	Aston Martin	V8 Vantage N24	2950		
	Chevrolet	Corvette C6 Z06 (06-08)	3300		
	Dodge	Viper SRT-10 Incl. Coupe (03-06)	3450		
	Ferrari	430 Challenge (06-07)	2950		
	Ford	GT (05-06)	3600		
	Lotus	Sport Exige Cup 255 (2007)	1800		
	Lotus	2-eleven (2008)	1800		

Current through SEPTEMBER 2010